

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF PRODUCT

TRADE NAME -NAVFAST BLUE 9058 / NAVFAST BLUE 9062 / NAVFAST BLUE 9025

COMPANY -NAVPAD PIGMENTS PVT. LTD.

Plot No. 1196/1/A &B, Village Rajpur,

Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

Telephone No. -+ 91 2764 278338

2. COMPOSITION / DATA ON COMPONENTS

CHEMICAL NAME - PIGMENT BLUE 29

CONSITUTION NUMBER -77007

CAS NUMBER - 57455-37-5
EINECS No -611-533-9
CHEMICAL CLASS -ULTRAMARINE

3. HAZARDS IDENTIFICATION

EYE : Contact may result in exposure irritation Skin : Prolonged exposure may lead to damage

Ingestion : May cause gastric disturbance

Inhalation : May cause respiratory tract irritation

4. FIRST AID MEASURES

INHALATION - Supply fresh air and get medical attention.

INGESTION - Do not induce vomiting; call for medical help immediately. Rinse out mouth and then drink plenty of water.

SKIN immediately wash with water and soap and rinse thoroughly. If irritation continues, get medical attention.

EYES - Immediately flush eye with large amount water for at least 15 minutes. Get medical attention.

5. FIRE FIGHTING MEASURES

FLAMMABLE LIMITS - Lower-Nil, Upper-Nil in air EXTINGUISHING MEDIA - Water, Dry Chemical, Carbon Dioxide, or Foam

SPECIAL FIRE FIGHTING - Personal firefighting equipment procedure must be used.

PIGMENT BLUE 29









NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736



6. ACCIDENTAL RELEASE MEASURES

PERSON RELATED SAFETY - Wear protective equipment like a dust

PRECAUTION - respirator approved by NOISH/MESA. Keep unprotected person away. Ensure adequate ventilation. Do not smoke – keep ignition sources away.

MEASURES FORENVIRONMENTAL PROTECTION - Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground / soil.

MEASURES FOR CLEANING/COLLECTION - Ensure adequate ventilation. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.

7. HANDLING AND STORAGE

HANDLING - This product should be handled under conditions of good industrial hygiene in particular creating and inhaling dust is to be prevented by the use of exhaust ventilation during handling and weighing. As with most organic powders, it may form flammable dust clouds in air, prevent dust collection by regular cleaning.

STORAGE - Store with container closed in dry place away from excessive heat and open flames. Avoid unnecessary personal contact.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY PROTECTION - Use a dust respirator approved by NOISH / MESA

VENTILATION - Local exhaust recommended

PROTECTION GLOVES - Rubber or PVC Gloves

EYE PROTECTION - Protection against dust particles recommended.

OTHER PROTECTIVE - Not necessary MEASURES

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE- Violet Crystalline Powder/Press Cake
COLOR - Bluish Violet
ODOUR Mild - (Slight Organic Odour)
PIGMENT BLUE 29
NAV









NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com



BOILING POINT - No Data
MELTING POINT - No Data
SELF IGNITING - Product is not self igniting
SPECIFIC GRAVITY - 1.48
SOLUBILITY - Insoluble
VAPOUR PRESSURE - Not Applicable

10. STABILITY AND REACTIVITY

DECOMPOSTION TEMPERATURE - Not determined
DANGEROUS REACTION - No dangerous reactions known.
HAZARDOUS DECOMPOSITION - Oxides of Nitrogen and Carbon products.

11. TOXICOLOGICAL INFORMATION

ACUTE LETHAL TOXCITY (LD50)- 5000mg/kg (tested on rats)

SKIN IRRITATION - non irritant (tested on rabbits)

ACUTE ORAL TOXCITY (LD50) - non irritant (tested on rats)

12. ECOLOGICAL INFORMATION

This product is insoluble in water and it is thus not possible to give reliable information because of its insolubility. It is unlikely to be harmful to aquatic organism.

13. DISPOSAL CONSIDERATIONS

IF MATERIAL RELEASED / SPILLED- Sweep up bulk of spill & flush reminder remainder with water. Follow all precautions for handling this product when dealing with spills.

WASTE DISPOSAL METHOD - Waste material may be dumped or incinerated under conditions which meet local environmental control regulations.

14. TRANSPORT INFORMATION

NO SPECIAL PREACAUTIONS REQUIRED

PIGMENT BLUE 29









NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736



15. REGULATIONS

PRECAUTIONARY LABELLING - These fall in the non-regulated class.

OTHER HANDLING &STORAGE CONDITION - Do not store with eatables. TSCA - All components of this product are registered under the regulations of the Toxic Substances Control Act.

D.O.T. HAZARD -Non Hazardous CLASSIFICATION (49) CFR 172)

D.O.T.LABELS REQUIRED - None

EUROPEAN NORMS - This product meets all regulations DIRECTIVE 91/155/EEC under this norms.

16. OTHER INFORMATION

The information mentioned in this data sheet is compiled from the different sources and should be taken as guideline only for detailed information regarding the health and safety data. Also please refer to "NPIRI RAW MATERIAL DATA HANDBOOK VOL.4 PIGMENTS"

PREPARED BY : TECHNICAL SERVICE DEPARTMENT, NAVPAD PIGMENTS PVT. LTD.

PLACE : RAJPUR

LAST REVIEW DATE: 1STNOVEMBER, 2020.

PIGMENT BLUE 29









NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India T: +91-982-503-1388 / +91-2764-278338

1. +71-702-303-1300 / +71-2704-270330

E: exports@navpadpigments.com W: www.navpadpigments.com