

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name : NAVFAST PRIME ROSE CHROME 7004

Company : NAVPAD PIGMENTS PVT. LTD.

Plot No. 1196/1/A &B, Village Rajpur,

Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

Telephone No. : + 91 2764 278338

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name or Generic: PIGMENT YELLOW 34

CI No. : 77603
CAS No. : 1344-37-2
EINECS No. : 215-693-7
Chemical Class : CHROME

3. HAZARDS IDENTIFICATION

EYE : Contact may result in exposure irritation Skin : Prolonged exposure may lead to damage

Ingestion : May cause gastric disturbance

Inhalation : May cause respiratory tract irritation

4. FIRST AID MEASURES

Ingestion : Call a Doctor in case of doubt or if symptoms persist

Skin Contact : Wash in soap and water and rinse with water

Eye Contact : Wash immediately (15 min) with water, opening eyelids

If irritation continues, see an Ophthalmologist

5. FIRE FIGHTING MEASURES

Extinguishing Media : Pulverized water, Carbon dioxide, Foam.

Specific Hazards : In case of Fire and / or explosion do not breathe fumes.

Protective Equipment : Wear in individual breathing apparatus

PIGMENT YELLOW 34









NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Wear protective equipment Environmental Precautions : Discharge in sewer prohibited

Method of cleaning up : Recover product by vacuuming to clean the

Recovery : floor and all objects contaminated by this material, use soap and

water.

7. HANDLING AND STORAGE

Handling : Handling without causing dust. Prevention of Workers

exposures collect dust at sources.

Storage : Storage condition-product stable under normal storage

conditions. Suitable –keep container dry.

Packing materials : Recommended: Plastic Bags

not Recommended: None of our knowledge.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls : Handle in accordance with good ind. hygiene and

safety practice.

Personal protection

Respiratory protective Equipment's : Wear dust proof mask Hand protection : Wear suitable gloves

Eye protection : Wear glasses

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Solid Yellow powder

Color : Yellow

Ph : 6 to 8 diluted in water (50g/1)

Specific Gravity : 5.2 to 6.0 Moisture content : 1.0 % Max.

Boiling Point : N/A

Heat stability : 160-240 deg. C. Solvent fastness : Excellent

Chemical stability : Stable
Reactivity : Nil
Explosion Limits : N/A.

PIGMENT YELLOW 34

ISO 9001 : 2015

ISO 9001 : 2015

UKAS
MANAGEMBAT







NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com



10. STABILITY AND REACTIVITY

Hazardous reaction : None under normal condition of use.
Chemical stability : Stable under normal storage condition.

11. TOXICOLOGICAL INFORMATION

Acute toxicity : LD50.500 mg / kg (Oral rat)
Skin irritation : OCDE 404 :Non irritant.
Eye irritation : OCDE 405 : Non irritant

12. ECOLOGICAL INFORMATION

Possible environment impact / eco toxicity : Others

13. DISPOSAL CONSIDERATIONS

Neutralizing or destroying procedure of product : Discharge controlled.

Destroying procedure of contaminated : Packaging not reusable, to be send to

supervisedpackaging disposable site.

Other : Dispose off according to the country, federal,

stateand local regulations.

14. TRANSPORT INFORMATION

Shipping : Not classified as dangerous in the meaning of transport

regulations.

Hazardous : N.A. U.N. No. : N.A. Packing Group : N.A.

15. REGULATORY INFORMATION

Risk phrase : Labeling not required in accordance with EC

directives or respective national laws

Hazardous Symbols : N.A.

PIGMENT YELLOW 34

ISO 9001 : 2015

ISOQAR
WOSTHED

UKAS
MANGARINIST

MANGAR







NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736



16. OTHER INFORMATION

The data given here are based on our current knowledge and experience. The purpose of safety data sheet is to describe the product in terms of Safety requirements. The data do not signify any warranty with regards to the product properties. Buyers must carry out their own tests to determine the suitability and compatibility of our products for particular use and application.

PREPARED BY : TECHNICAL SERVICE DEPARTMENT, NAVPAD PIGMENTS PVT. LTD.

PLACE : RAJPUR

LAST REVIEW DATE: 1ST NOVEMBER, 2020.

PIGMENT YELLOW 34









CIN No: U24220GJ1998PTC033736

NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

 $T: \ +91\text{-}982\text{-}503\text{-}1388 \ / \ +91\text{-}2764\text{-}278338$

E: exports@navpadpigments.com W: www.navpadpigments.com